


# Journal Pre-proof



## Global Wild Rice Germplasm Resources Conservation Alliance: WORLD WILD-RICE WIRING

Xiaoming Zheng, Disna Ratnasekera, Jiayu Fan, Robert J. Henry, Beng-Kah Song, Kenneth M. Olsen, Bal Krishna Joshi, Maria Celeste N. Banaticla-Hilario, Tonapha Pusadee, Adane Getachew Melaku, Yêyinou Laura Estelle Loko, Koukham Vilayheuang, Gavers K. Oppong, Samuel Aduse Poku, Peterson W. Wambugu, Song Ge, Aldo Merotto Junior, Ohn Mar Aung, Ramaiah Venuprasad, Ajay Kohli, Wenbin Zhou, Qian Qian

PII: S1674-2052(24)00074-1

DOI: <https://doi.org/10.1016/j.molp.2024.03.001>

Reference: MOLP 1699

To appear in: *MOLECULAR PLANT*

Received Date: 13 January 2024

Revised Date: 1 March 2024

Accepted Date: 2 March 2024

Please cite this article as: Zheng X., Ratnasekera D., Fan J., Henry R.J, Song B.-K., Olsen K.M., Joshi B.K., Banaticla-Hilario M.C.N., Pusadee T., Melaku A.G., Estelle Loko Y.L., Vilayheuang K., Oppong G.K, Poku S.A., Wambugu P.W., Ge S., Junior A.M., Aung O.M., Venuprasad R., Kohli A., Zhou W., and Qian Q. (2024). Global Wild Rice Germplasm Resources Conservation Alliance: WORLD WILD-RICE WIRING. Mol. Plant. doi: <https://doi.org/10.1016/j.molp.2024.03.001>.

This is a PDF file of an article that has undergone enhancements after acceptance, such as the addition of a cover page and metadata, and formatting for readability, but it is not yet the definitive version of record. This version will undergo additional copyediting, typesetting and review before it is published in its final form, but we are providing this version to give early visibility of the article. Please note that, during the production process, errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

## **Global Wild Rice Germplasm Resources Conservation Alliance:**

### **WORLD WILD-RICE WIRING**

Wild relatives of crop are key genetic resources serving as diversity reservoirs for crop improvement under changing environments. Rice (*Oryza sativa*) is one of the most important crops in the world, providing staple food for half of the world's population. Wild rice is thus a critical germplasm resources for sustained global food security, ensuring high production yields, improved quality and stress resistance in the face of climate change. Wild rice is closely related to domesticated rice, has a rich genetic diversity and exceptional adaptability to extreme environments. It has played a pivotal role in the history of rice hybridization and has become a key resource for rice breeding programs. The identification of wild-type cytoplasmic male sterility resources paved the way for the achievement of the "three lines" goal in hybrid rice, leading to a significant increase in rice yields. In addition, the use of resistance alleles found in wild rice is making rice production more resilient to losses caused by environmental stresses. However, the wild rice germplasm resources are threatened due to habitat destruction and other anthropogenic factors. At the same time, the lack of centralized distribution of wild rice has hampered the sharing of basic information on wild rice resources and the utilization and conservation of wild rice in each country, as well as collaboration among scientists.

The Global Wild Rice Germplasm Resources Conservation (GWRGRC) alliance is a scientists' community that will be dedicated to wild rice resources protection and research in a cross-regional and interdisciplinary manner. The Alliance's primary focus lies in conserving global wild rice germplasm resources and understanding the ecology of wild rice environments. This includes identifying and addressing threats such as habitat destruction and climate change, as well as scientific issues related to biotechnology. Moreover, the Alliance strives to define effective pathways for utilizing wild rice in rice improvement, and provide valuable data for decision-making.

### **Mission of the Alliance**

The Alliance is a non-governmental organization and a global collaboration platform comprising of researchers, scientists and scholars from various countries. The primary focus of the alliance is to promote the conservation, research and utilization of wild rice germplasm

resources. The alliance has a grand vision of "establishing a global wild rice system that supports sustainable agricultural development and food security". Its mission is centered around "creating an optimal environment for the exchange of wild rice germplasm resources and promoting rice breeding and seed innovation". The Alliance upholds the values of openness, inclusivity, and equality fostering a spirit of cooperation, mutual learning and sharing to achieve mutually beneficial outcomes. It actively encourages participation from experts and scholars in all countries and fields of study, aiming to collectively contribute to the conservation and sustainable utilization of wild rice genetic resources in order to ensure improved rice productivity or yield, and hence food security.

### Activities of the Alliance

- i. Our main task is to ensure sustainable development by strengthening international cooperation and shared commitment to expand scientific collections of wild rice, improve utilization of germplasm resources, and conserve and utilize wild rice germplasm resources globally.
- ii. The Alliance will protect, manage and monitor wild rice germplasm resources in their natural habitats, allowing for their continued natural evolution and ensuring their availability for sustainable utilization.
- iii. The Alliance will address key needs for improving rice yield by using wild germplasm to explore new genes, using cutting-edge breeding methods, applying data mining, and bioinformatics tools, and utilize expertise in crop molecular and biological processes contributed by scientists from various countries.

### Principles of the Alliance

The Alliance will make significant contributions to the global food security, crop diversity and equitable sharing of benefits with unified regulations.

#### Access principles

- a. The Alliance recognizes the individual sovereignty of each member country on their own genetic resources and accessibility is contingent upon the laws of each respective country.

b. The Alliance strictly follows the guidelines of International Treaties on Plant Genetic Resources for Food and Agriculture and the Convention on Biological Diversity, aiming to protect and sustainably utilize all plant genetic resources.

c. The Alliance considers the individual wishes of members and allows personnel from all parties related to wild rice to enter without threatening the security of wild rice germplasm resources.

## Resource Sharing

Resource acquisition and benefit sharing are core parts of the Alliance. These efforts involve acquisition and utilization of wild rice germplasm resources, working to ensure that any germplasm sharing is contingent upon the laws of each respective country and development of fair and reasonable sharing of the resulting benefits, including technology transfer, information exchange and application of benefit-sharing mechanisms.

a. Establish a global system to obtain wild rice germplasm resources, ensuring equitable sharing of benefits among farmers, plant breeders, and scientists based on rules for sharing mechanisms.

b. Organize national research teams within the alliance to jointly address key issues in the conservation and use of wild rice. Broad support and participation of countries in the FAO Treaty are crucial for the conservation and sustainable use of these genetic resources.

c. Hold regular training and exchange activities on the conservation status and distribution of wild rice to enhance knowledge and understanding among scientists from different countries. Strengthen resilience to climate change impacts, learn from past best practices, and promote transformative adaptation policies, plans, and actions.

## Resource Conservation

To ensure the effective conservation and sustainable use of wild rice germplasm resources, we will employ a diversified approach. This will involve adhering to scientific principles and implementing local conservation methods based on the specific conditions of member countries. Our emphasis will be on the following points.

a. Establish *in situ* conservation sites for wild rice germplasm resources in their natural habitat (*in-situ conservation*).

- b. Develop and implement *ex-situ* conservation plans for wild rice germplasm resources
- c. Promote the sustainable utilization of wild rice germplasm resources in rice breeding programs.
- d. Prioritize implementation of conservation plans by conducting feasibility tests and employing specific measures for conservation and sustainable use of wild rice genetic resources. This will help to determine the level of threat and conservation status of the wild rice species or genetic resources.

Wild rice serves as a vital reservoir of genetic diversity for sustainable rice breeding. The Global Wild Rice Germplasm Resources Conservation (GWRGRC) alliance is instrumental in addressing threats to wild rice, bringing together scientists globally to conserve rice gene pool diversity. The alliance's approach spans around habitat conservation and interdisciplinary research on the wild rice. The researches may include ecological, morphological, genetic, and biotechnological researches. The wild rice displays a critical role in enhancing rice yield. The alliance's efforts are therefore pivotal for resilient agriculture. Alliance's comprehensive strategy includes identifying and mitigating anthropogenic threats and ensuring the conservation of invaluable wild rice genetic resources. The GWRGRC alliance does not only contribute to wild rice germplasm conservation, but also strives to integrate these resources into rice breeding (improvement) programs and therefore overcoming the existing constraints. Ultimately, the alliance plays a key role in shaping global food security by safeguarding wild rice diversity (species diversity and genetic diversity), promoting sustainable agricultural practices and highlighting the importance of collective action for future generations.

Xiaoming Zheng<sup>1, 2, 3</sup>, Disna  
Ratnasekera<sup>1, 2, 4</sup>, Jiayu Fan<sup>5, 6</sup>, Robert J Henry<sup>7</sup>,  
Beng-Kah Song<sup>8</sup>, Kenneth M. Olsen<sup>9</sup>, Bal Krishna  
Joshi<sup>10</sup>, Maria Celeste N. Banaticla-Hilario<sup>11</sup>,  
Tonapha Pusadee<sup>12</sup>, Adane Getachew Melaku<sup>13</sup>,  
Yêyinou Laura Estelle Loko<sup>14</sup>, Koukham  
Vilayheuang<sup>15</sup>, Gavers K Oppong<sup>16</sup>, Samuel Aduse  
Poku<sup>17</sup>, Peterson W. Wambugu<sup>18</sup>, Song Ge<sup>19</sup>, Aldo  
Merotto Junior<sup>20</sup>, Ohn Mar Aung<sup>21</sup>, Ramaiah  
Venuprasad<sup>22</sup>, Ajay Kohli<sup>22</sup>, Wenbin Zhou<sup>23</sup>, Qian  
Qian<sup>2, 5, 23</sup>

1. National Key Facility for Crop Gene Resources and Genetic Improvement,  
Institute of Crop Sciences, Chinese Academy of Agricultural Sciences,  
Beijing, China
2. Sanya National Research Institute of Breeding in Hainan, Chinese  
Academy of Agricultural Sciences, Beijing, China
3. International Rice Research Institute, DAPO box 7777, Metro Manila,  
Philippines.
4. Department of Agricultural Biology, Faculty of Agriculture, University of  
Ruhuna, Matara, 81000 Sri Lanka.
5. Yazhouwan National Laboratory, No. 8 Huanjin Road, Yazhou District,  
Sanya City, Hainan Province 572024, China
6. Hainan University , China
7. ARC Centre of Excellence for Plant Success in Nature and Agriculture,  
University of Queensland, Brisbane, 4072 Australia
8. School of Science, Monash University Malaysia, 47500 Bandar Sunway,  
Selangor, Malaysia
9. Department of Biology, Washington University in St. Louis, St. Louis, MO  
63130-4899 USA.
- 10 National Agriculture Genetic Resources Center (Genebank), Khumaltar,  
Nepal.
11. Plant Biology Division, Institute of Biological Sciences, University of the  
Philippines, Los Baños, Philippines.
12. Division of Agronomy, Department of Plant and Soil Sciences, Faculty of  
Agriculture, Chiang Mai University, Chiang Mai 50200 Thailand.
13. Bio and Emerging Technology Institute, Addis Ababa, Ethiopia.
14. National University of Sciences, Technologies, Engineering and  
Mathematics (UNSTIM), BP 14. Dassa-Zoumé, Benin
15. National Genebank, Rice and Cash Crops Research Center, NAFRI,  
Vientiane, Lao PDR.
16. Plant Sciences and the Bioeconomy, Rothamsted Research, AL5 2JQ  
Harpenden, UK Future Food Beacon of Excellence and School of Biosciences  
and University of Nottingham, Nottingham, UK

17. Department of Plant and Environmental Biology, University of Ghana,  
Ghana.

18. Kenya Agricultural and Livestock Research Organization, Genetic  
Resources Research Institute, Nairobi, Kenya.

19. Institute of Botany, Chinese Academy of Sciences, 100093 Beijing, China.

20. Federal University of Rio Grande do Sul, UFRGS, 91501-970, Porto  
Alegre, RS, Brazil.

21. Department of Agricultural Research, Yezin, Zayarthiri Township, Nay  
Pyi Taw, Myanmar.

22. International Rice Research Institute (IRRI), Los Baños, Philippines

23. State Key Laboratory of Crop Gene Resources and Breeding, Institute of  
Crop Sciences, Chinese Academy of Agricultural Sciences, Beijing 100081,  
China

All authors have equal contributions

Figure 1. Operational overview of the GWRGRC alliance

- A. Integrate advanced technologies such as global positioning system, remote sensing technology, and geographic information system to survey and collect global wild rice germplasm resources
- B. Blend interdisciplinary knowledge such as ecology, genetics, molecular biology and environmental science to develop strategies for the *ex-situ* conservation of wild rice germplasm resources
- C. Leverage resources from global research institutions, academic networks, and collaborative projects, thereby expanding the research area of the Wild Rice Alliance to cover more geographical and ecological regions. We hope to establish a global shared, comprehensive protection, and sustainable utilization system of wild rice germplasm resources, and further promote applied research on wild rice.
- D. Use phenomics, genome assembly, bioinformatic analysis, and other multi- omics methods for precisely identify of wild rice germplasm resources

